



Application No. 09/752,243

Response to Non-Compliant Amendment dated: March 30, 2005

Reply to Notice of Non-Compliant Amendment dated: March 16, 2005

AMENDMENTS TO THE CLAIMS

1. (Currently Amended) A zero-generating apparatus ~~for use with an instruction set architecture without an r0 register~~, comprising:
 - a physical zero register which reads as a zero value;
 - a Register Alias Table (RAT) for storing an instruction register map; and
 - a Zeroing Instruction Logic (ZIL) unit for detecting a zeroing instruction and modifying said RAT with a pointer to said physical zero register.
2. (Original) An apparatus in accordance with claim 1, wherein:
 - said physical zero register is a read only memory (ROM).
3. (Original) An apparatus in accordance with claim 1, wherein:
 - said ZIL unit detects said zeroing instruction in a trace cache line.
4. (Original) An apparatus in accordance with claim 3, wherein:
 - an r0 register field logically coupled to said trace cache line for mapping to said physical zero register.
5. (Previously Presented) An apparatus in accordance with claim 3, wherein:
 - said RAT and said trace cache line are logically coupled to a renaming unit for maintaining said pointer to said physical zero register.

6. (Original) An apparatus in accordance with claim 3, wherein:
said ZIL unit deletes said zeroing instruction from said trace cache line.
7. (Original) An apparatus in accordance with claim 6, wherein:
said ZIL unit modifies a subsequent instruction, where said subsequent instruction is
logically coupled to said zeroing instruction within said trace cache line.
8. (Original) An apparatus in accordance with claim 7, wherein:
said ZIL unit modifies said subsequent instruction with an immediate source of zero.
9. (Original) An apparatus in accordance with claim 1, wherein:
said zeroing instruction is an exclusive or (XOR).
10. (Original) An apparatus in accordance with claim 1, wherein:
said zeroing instruction is a subtraction (SUB).
11. (Original) An apparatus in accordance with claim 1, wherein:
said zeroing instruction is a multiply (MUL).
12. (Original) An apparatus in accordance with claim 1, wherein:
said zeroing instruction is a move (MOV).

13. (Original) An apparatus in accordance with claim 7, wherein:

said ZIL unit transforms said subsequent instruction to a MOV instruction.

14. (Currently Amended) A zero-generating apparatus for use with a microprocessor, comprising:

a physical zero register which ~~reads~~ is to read as a zero value;

a Zeroing Instruction Logic (ZIL) unit ~~for reading~~ to read a plurality of instructions and ~~detecting and modifying~~ to detect and modify a zeroing instruction within said plurality of instructions;

where said ZIL unit ~~deletes~~ is to delete said zeroing instruction and ~~sets~~ set a pointer to said physical zero register in place of said deleted zeroing instruction; and

where said ZIL unit ~~modifies~~ is to modify instructions dependent on said deleted zeroing instruction.

15. (Currently Amended) An apparatus in accordance with claim 14, wherein:

said ZIL unit ~~modifies~~ is to modify instructions dependent on said deleted zeroing instructions with an immediate source of a value when both occur with a single trace cache line.

16. (Currently Amended) An apparatus in accordance with claim 14, wherein:

said ZIL unit ~~modifies~~ is to modify instructions dependent on said deleted zeroing instructions with a renameable pointer.

17. (Currently Amended) A method of zero-generating ~~with an instruction set architecture without an r0 register~~, comprising:
- detecting a zeroing instruction;
 - deleting said zeroing instruction;
 - identifying a subsequent instruction using said zeroing instruction; and
 - modifying said subsequent instruction with a pointer to a physical zero register which reads as a zero value.
18. (Original) A method in accordance with claim 17, further comprising:
- pointing to a physical zero register where said subsequent instruction is not within a common trace cache line.
19. (Original) A method in accordance with claim 17, further comprising:
- modifying said subsequent instruction involves replacing instruction sources.
20. (Original) A method in accordance with claim 17, further comprising:
- modifying said subsequent instruction involves using a move (MOV) instruction.
21. (Original) A method in accordance with claim 17, further comprising:
- said subsequent instruction is modified in response to its location in a trace cache relative to said zeroing instruction.